

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(@ay<="2003" OR @rlad<="20031125") AND CODEC SAME response ADJ (buffer OR register) SAME (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:20
L2	20	(@ay<="2003" OR @rlad<="20031125") AND CODEC AND response ADJ (buffer OR register) SAME (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:20
S1	99	(("6393572") or ("20050143843") or ("20070255432") or ("5982672") or ("6804292") or ("20060010267") or ("6306100") or ("6122697") or ("6263075") or ("20060069458") or ("5835787") or ("6122331") or ("6323894") or ("6275889") or ("5678193") or ("5384845") or ("6038672") or ("6085329") or ("5872747") or ("6108718") or ("6253184") or ("6029095") or ("5027282") or ("20070225865") or ("6104909") or ("6233393") or ("5553220") or ("5629687") or ("5815297") or ("5940358") or ("5448225") or ("5647787") or ("5712991") or ("5732279") or ("5761439") or ("5848146") or ("5898605") or ("5898892") or ("5901332") or ("5974478") or ("5987554") or ("6049806") or ("6055609") or ("6072864") or ("6195766") or ("6317592") or ("20070250212") or ("6434633") or ("5425031") or ("5473666") or ("5640433") or ("5646678") or ("5652712") or ("5740420") or ("5768308") or ("5774567") or ("5977995") or ("6006189") or ("6016550") or ("6112220") or ("6128317") or ("6167040") or ("6167415") or ("6175849") or ("6185424") or ("6199035") or ("6215429") or ("6215429") or ("6255972") or ("6269103") or ("6314485") or	US-PGPUB; USPAT	OR	OFF	2008/08/27 08:50

		("6374148") or ("6389033") or ("6401152") or ("6404780") or ("6430671") or ("6466584") or ("6473870") or ("6477177") or ("6480908") or ("6483857") or ("6529975") or ("6549669") or ("6584570") or ("6611912") or ("6721707") or ("6754295") or ("6766291") or ("7139701") or ("7142525") or ("7155388") or ("7162029") or ("7188196") or ("7254535") or ("20010016924") or ("20020138773") or ("20030070023") or ("20030092421") or ("20030125960") or ("20030204276")).PN.				
S2	22	((("5452432") or ("5530941") or ("5664197") or ("5678009") or ("5708849") or ("5729762") or ("5751994") or ("5794070") or ("5805842") or ("6108743") or ("5862387") or ("5996038") or ("6119189") or ("6131127") or ("6151654") or ("6157970") or ("6275242") or ("6385671") or ("6401144") or ("6438686") or ("6560657") or ("6567953"))).PN.	US-PGPUB; USPAT	OR	OFF	2008/08/27 09:03
S3	2451	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR speed OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:03
S4	1	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR speed OR tempo) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:04
S5	9	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:04
S6	1	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR speed OR tempo) AND codec AND DMA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:09

S7	9	((@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:09
S8	175	((@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND codec AND DMA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:14
S9	2	((@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) SAME codec SAME DMA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:52
S10	77	((@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ pacing	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:05
S11	89	((@ay<="2003" OR @rlad<="20031125") AND counter WITH frame SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 16:04
S12	1	((@ay<="2003" OR @rlad<="20031125") AND frame NEAR5 count\$3 SAME (command OR instruction) NEAR5 pace SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 16:17
S13	1	((@ay<="2003" OR @rlad<="20031125") AND frame NEAR5 count\$3 WITH (pace OR tempo) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 16:17
S14	82	((@ay<="2003" OR @rlad<="20031125") AND frame NEAR5 count\$3 SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 16:18
S15	10	((@ay<="2003" OR @rlad<="20031125") AND frame NEAR5 count\$3 WITH (pace OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:31
S16	47	((@ay<="2003" OR @rlad<="20031125") AND frame NEAR5 count\$3 AND (set\$4 OR configur\$3) WITH (pace OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:32

S17	0	("2005/0143843").URPN.	USPAT	OR	ON	2008/08/27 17:33
S18	6	(@ay<="2003" OR @rlad<="20031125") AND 710/5.ccls. AND (set\$4 OR configur\$3) ADJ (pacing OR pace)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:00
S19	6	(@ay<="2003" OR @rlad<="20031125") AND 710/5.ccls. AND (set\$4 OR configur\$3) ADJ (pacing OR pace OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:01
S20	27	(@ay<="2003" OR @rlad<="20031125") AND "710".clas. AND (set\$4 OR configur\$3) ADJ (pacing OR pace OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:01
S21	2728	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:05
S22	12	(@ay<="2003" OR @rlad<="20031125") AND "710".clas. AND (pacing OR pace).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:05
S23	3	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace).ti. AND codec AND buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:08
S24	3	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace).ti. AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:10
S25	4	(@ay<="2003" OR @rlad<="20031125") AND ((pacing OR pace) AND codec). ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:10
S26	6	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace).ab. AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:11
S27	5	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace OR tempo). ti. AND codec AND buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:11

S28	5	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace OR tempo). ti. AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:11
S29	5	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace OR tempo). ti. AND codec AND command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:12
S30	0	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ pacing SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:13
S31	1	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR tempo) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:13
S32	35	(@ay<="2003" OR @rlad<="20031125") AND 710/5.cols. AND (pacing OR pace OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:14
S33	2	(@ay<="2003" OR @rlad<="20031125") AND 710/5.cols. AND (pacing OR pace OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 13:21
S34	22	(@ay<="2003" OR @rlad<="20031125") AND 710/5.cols. AND (pacing OR pace OR tempo OR rate) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 15:31
S35	1500	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace OR tempo OR rate) AND codec AND DMA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:34
S36	90	(@ay<="2003" OR @rlad<="20031125") AND (pacing OR pace OR tempo OR rate) SAME codec SAME DMA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:34
S37	976	(@ay<="2003" OR @rlad<="20031125") AND codec WITH ((command OR instruction) AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:00

S38	76	(@ay<="2003" OR @riad<="20031125") AND codec WITH ((command OR instruction) AND data) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:00
S39	0	(@ay<="2003" OR @riad<="20031125") AND codec WITH ((command OR instruction) AND data) ADJ buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:06
S40	1	(@ay<="2003" OR @riad<="20031125") AND codec SAME ((command OR instruction) AND data) ADJ buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:07
S41	73	(@ay<="2003" OR @riad<="20031125") AND codec AND ((command OR instruction) AND data) ADJ buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:08
S42	8	(@ay<="2003" OR @riad<="20031125") AND codec AND (command OR instruction) ADJ buffer SAME (pacing OR pace OR tempo OR rate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:09
S43	2	(@ay<="2003" OR @riad<="20031125") AND codec WITH (command OR instruction) ADJ buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:13
S44	7	(@ay<="2003" OR @riad<="20031125") AND codec SAME (command OR instruction) ADJ buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:17
S45	30	(@ay<="2003" OR @riad<="20031125") AND codec SAME (command OR instruction) ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:18
S46	4	(@ay<="2003" OR @riad<="20031125") AND codec SAME (command OR instruction) ADJ (buffer OR register) SAME (data ADJ (buffer OR register))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:27
S47	5	(@ay<="2003" OR @riad<="20031125") AND audio ADJ (controller OR unit OR module) SAME frame WITH ((command OR instruction) AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:31

S48	34	((@ay<="2003" OR @riad<="20031125") AND DMA WITH codec WITH ((command OR instruction) AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:33
S49	89	((@ay<="2003" OR @riad<="20031125") AND DMA ADJ controller WITH codec WITH memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:37
S50	6	((@ay<="2003" OR @riad<="20031125") AND DMA ADJ controller WITH codec WITH memory SAME (command AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:40
S51	9	((@ay<="2003" OR @riad<="20031125") AND (command OR instruction) ADJ (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 15:58
S52	627	((@ay<="2003" OR @riad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 16:00
S53	45	((@ay<="2003" OR @riad<="20031125") AND "710".clas. AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 16:00
S54	97	((@ay<="2003" OR @riad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND audio ADJ codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:14
S55	367	((@ay<="2003" OR @riad<="20031125") AND codec AND ((command OR instruction) AND data) ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:17
S56	12	((@ay<="2003" OR @riad<="20031125") AND codec SAME ((command OR instruction) AND data) ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:17
S57	196	((@ay<="2003" OR @riad<="20031125") AND codec AND DMA AND ((command OR instruction) AND data) ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:19

S58	11	((@ay<="2003" OR @rlad<="20031125") AND codec AND DMA AND ((command OR instruction) AND data) ADJ (FIFO))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:25
S59	10	((@ay<="2003" OR @rlad<="20031125") AND codec AND DMA AND (command AND data) ADJ (FIFO))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:27
S60	1	((@ay<="2003" OR @rlad<="20031125") AND codec SAME DMA SAME ((command OR instruction) AND data) ADJ (buffer OR register))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:34
S61	123	((@ay<="2003" OR @rlad<="20031125") AND codec SAME DMA SAME ((command OR instruction) AND data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:34
S62	10	((@ay<="2003" OR @rlad<="20031125") AND DMA WITH transfer\$4 WITH ((command OR instruction) AND data) SAME codec)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:45
S63	31	((@ay<="2003" OR @rlad<="20031125") AND DMA WITH transfer\$4 SAME ((command OR instruction) AND data) SAME codec)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:46
S64	4120	((@ay<="2003" OR @rlad<="20031125") AND DMA WITH transfer\$4 SAME ((command OR instruction) AND data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:49
S65	1296	((@ay<="2003" OR @rlad<="20031125") AND "710".das. AND DMA WITH transfer\$4 SAME ((command OR instruction) AND data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:49
S66	235	((@ay<="2003" OR @rlad<="20031125") AND DMA WITH transfer\$4 SAME ((command OR instruction) AND data) AND codec)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:49
S67	117	((@ay<="2003" OR @rlad<="20031125") AND DMA WITH transfer\$4 WITH ((command OR instruction) AND data) AND codec)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:55



S68	1	(@ay<="2003" OR @rlad<="20031125") AND codec WITH response ADJ (buffer OR register) SAME command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:21
S69	2	(@ay<="2003" OR @rlad<="20031125") AND codec WITH response ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:21
S70	2	(@ay<="2003" OR @rlad<="20031125") AND codec SAME response ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:21
S71	63	(@ay<="2003" OR @rlad<="20031125") AND codec AND response ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:22
S72	19	(@ay<="2003" OR @rlad<="20031125") AND codec AND response ADJ (buffer OR register) SAME command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:22
S73	1	(@ay<="2003" OR @rlad<="20031125") AND codec AND "roll-over" ADJ counter SAME (pacing OR pace OR speed OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:42
S74	3	(@ay<="2003" OR @rlad<="20031125") AND "roll-over" ADJ counter SAME (pacing OR pace OR speed OR tempo)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:43
S75	58	(@ay<="2003" OR @rlad<="20031125") AND "roll-over" ADJ counter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:44

9/30/2008 5:32:04 PM

C:\Documents and Settings\hyu\My Documents\EAST\Workspaces  
10723132\_Codec\_Command\_Pacing.wsp